

## Behavioral Risk Factor Surveillance System (BRFSS) Health Indicators by County

Data from the 2016 Behavioral Risk Factor Surveillance System were used to generate percentages of non-institutionalized adult (18+) NYS residents for various health indicators for a range of geographies.

<https://health.data.ny.gov/Health/Behavioral-Risk-Factor-Surveillance-System-BRFSS-H/j5y7-eb4n>

Year	Health Indicator	County	Crude Rate	CL 95% Lower, Crude	CL 95% Upper, Crude	Age-adjusted Rate	CL 95% Lower, Age-adjusted	CL 95% Upper, Age-adjusted	Notes
2016	Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	Clinton	39.8	24.1	55.4				unreliable crude rate due to large standard error; age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of adults reporting a depressive disorder	Clinton	15.8	12.1	19.5	15.3	11.6	18.9	
2016	Percentage of adult binge drinking during the past month	Clinton	20.9	16.6	25.3	21.1	16.5	25.7	
2016	Percentage of adults aged 18+ years with flu immunization in the past year	Clinton	36.4	31.4	41.5	35.9	30.4	41.3	
2016	Percentage of adults aged 18-24 years who are current smokers	Clinton							rates suppressed due to small sample size
2016	Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	Clinton	70.8	65.2	76.4				age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of adults aged 18-64 years with healthcare coverage	Clinton	92.5	89.4	95.6				age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of adults aged 50-64 years receiving colorectal cancer screening based on recent guidelines	Clinton	75.8	68.1	83.6				age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	Clinton	78.3	72.4	84.2				age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of adults aged 65+ years with at least one fall in the past 12 months	Clinton	29.3	21.1	37.6				age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of adults aged 65+ years with flu immunization in the past year	Clinton	53.9	44.8	63				age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of adults aged 65+ years with pneumococcal immunization	Clinton	72.7	64.6	80.8				age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of adults experiencing housing insecurity in the past 12 months	Clinton	29.9	24.6	35.2	29.4	23.9	34.8	
2016	Percentage of adults overweight or obese	Clinton	72.7	67.9	77.4	71.5	66.1	76.8	
2016	Percentage of adults reporting 14 or more days of poor physical health	Clinton	14.5	10.9	18	14	10.5	17.6	
2016	Percentage of adults reporting driving under the influence in the past 30 days	Clinton							rates suppressed due to small sample size
2016	Percentage of adults reporting poor self-reported health	Clinton	5.1	2.9	7.3	5.1	2.7	7.5	
2016	Percentage of adults who are current smokers	Clinton	24.7	20	29.4	24	19.1	28.9	
2016	Percentage of adults who are obese	Clinton	36.7	31.4	41.9	36.5	30.6	42.4	
2016	Percentage of adults who consume one or more sugary drinks daily	Clinton	32.3	27.2	37.5	32.3	26.9	37.7	
2016	Percentage of adults who did not receive medical care because of cost	Clinton	10.1	6.8	13.4	9.9	6.6	13.3	
2016	Percentage of adults who had a dentist visit within the past year	Clinton	58.7	53.6	63.8	58.8	53.5	64.2	
2016	Percentage of adults who had a test for high blood sugar or diabetes within the past three years	Clinton	64.4	59.2	69.6	64.3	58.9	69.7	
2016	Percentage of adults who have a regular health care provider	Clinton	80.6	76.1	85.1	78.1	73.1	83	
2016	Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	Clinton	8	4.3	11.7	7.6	3.8	11.4	
2016	Percentage of adults who participated in leisure time physical activity in the past 30 days	Clinton	71.4	66.8	76.1	71.6	66.6	76.6	
2016	Percentage of adults who report consuming less than one fruit and less than one vegetable daily (no fruits or vegetables)	Clinton	31.8	26.7	37	32.8	27.1	38.6	
2016	Percentage of adults who use e-cigarettes	Clinton	4.8	2.7	6.8	5.6	3	8.2	
2016	Percentage of adults with an annual household income less than \$25,000 who are obese	Clinton	32.7	24	41.4	32	22.5	41.5	

Year	Health Indicator	County	Crude Rate	CL 95% Lower, Crude	CL 95% Upper, Crude	Age-adjusted Rate	CL 95% Lower, Age-adjusted	CL 95% Upper, Age-adjusted	Notes
2016	Percentage of adults with annual household income less than \$25,000 who are current smokers	Clinton	33.2	23.9	42.4	34.4	23.3	45.4	unreliable age-adjusted rate due to large standard error
2016	Percentage of adults with arthritis	Clinton	28.3	24.1	32.6	25.1	21.8	28.3	
2016	Percentage of adults with cardiovascular disease (heart attack, coronary heart disease, or stroke)	Clinton	10.2	7.4	12.9	9.3	6.8	11.8	
2016	Percentage of adults with COPD	Clinton	8.8	6.1	11.4	7.8	5.4	10.3	
2016	Percentage of adults with current asthma	Clinton	13.4	10	16.7	12.3	9.4	15.3	
2016	Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	Clinton	71.2	62.5	79.8	55.7	47.1	64.4	small age-adjustment cell(s) (n = 2)
2016	Percentage of adults with disability (based on 6 ACA disability questions)	Clinton	25.7	21.3	30.1	24.8	20.2	29.4	
2016	Percentage of adults with disability who are obese	Clinton	42.4	33.1	51.6	40	30.4	49.6	small age-adjustment cell(s) (n = 3)
2016	Percentage of adults with disability who smoke	Clinton	30.7	21.5	39.8	34.5	22	47	unreliable age-adjusted rate due to large standard error
2016	Percentage of adults with disability with cardiovascular disease (heart attack, coronary heart disease, or stroke)	Clinton	22.6	14.9	30.3	17.4	10	24.8	small age-adjustment cell(s) (n = 3)
2016	Percentage of adults with food security over the last 12 months	Clinton	80	75.6	84.4	79	74.3	83.6	
2016	Percentage of adults with physician diagnosed diabetes	Clinton	11.7	8.5	14.9	10.5	7.8	13.2	
2016	Percentage of adults with physician diagnosed high blood pressure.	Clinton	34.5	29.5	39.5	32.7	27.9	37.5	
2016	Percentage of adults with physician diagnosed prediabetes	Clinton	12.6	9.1	16.1	12.6	8.8	16.5	
2016	Percentage of adults with poor mental health for 14 or more days in the last month	Clinton	15.2	11	19.3	14.8	10.6	19.1	
2016	Percentage of cigarette smoking among adults who report poor mental health	Clinton	23.7	12.8	34.7	21.3	11	31.6	unreliable crude rate due to large standard error; unreliable age-adjusted rate due to large standard error
2016	Percentage of men aged 55-69 receiving shared decision making for PSA screening (discussed the advantages and disadvantages of the PSA test with a health professional)	Clinton	37	25.1	48.9				unreliable crude rate due to large standard error; age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of women aged 18-44 years who had dental visit within the last year	Clinton	70.1	58.2	81.9				unreliable crude rate due to large standard error; age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy	Clinton	49.2	35.2	63.2				unreliable crude rate due to large standard error; age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of women aged 18-64 years with health care coverage	Clinton	97.7	96.1	99.4				age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of women aged 21-29 years receiving cervical cancer screening based on 2012 guidelines (Pap test within past three years for women aged 21-65, or Pap test plus HPV test within past five years for women aged 30-65)	Clinton							rates suppressed due to small sample size
2016	Percentage of women aged 21-65 years receiving cervical cancer screening based on 2012 guidelines (Pap test within past three years for women aged 21-65, or Pap test plus HPV test within past five years for women aged 30-65)	Clinton	84.8	77.7	91.9				age-adjusted rate not defined for indicators with an age restriction
2016	Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	Clinton	81.7	73.3	90.2				age-adjusted rate not defined for indicators with an age restriction
2016	Women aged 18-44 years who saw a doctor for a routine checkup within the last year	Clinton	70.9	59.1	82.6				unreliable crude rate due to large standard error; age-adjusted rate not defined for indicators with an age restriction